




B3

International

Cable Solutions for Buildings and Industrial

product overview



International

**YOUR CONNECTIONS
OUR SOLUTIONS**

TABLE OF CONTENTS

pg. 4	B3 International
pg. 5	Multiconductor Cables
pg. 10	Paired Cables
pg. 15	Fire Alarm Cables
pg. 17	Fire Resistant Cables
pg. 19	Coaxial Cables
pg. 21	Category LAN Cables
pg. 26	DEF Stan Cables
pg. 30	Instrumentation Cables
pg. 37	Tray Cables
pg. 43	Control Cables
pg. 52	Media & Lighting Control Cables
pg. 54	Telephone Cables
pg. 58	Contact



As a leading manufacturer of copper and optical fibre cables, B3 International provides the foundations for telecommunications and global connectivity.

As we continue to move through an age of technological innovation, the demand for improved communication networks, industrial environments and building management is constantly growing. We are committed to designing and delivering a host of innovative new services and solutions that meet the increasing demands of our technological age and that will enable us to competitively enter more demanding markets.

Through years of cultivated experience and expertise, our World Class manufacturing operations based in Europe meet the demands of a Global supply chain. B3 International continue to market and deliver a broad range of products and we pride ourselves on being a superior high quality manufacturer of cables across the Globe.


B3 International manufacture and supply an extensive range of quality approved cables, these include: Paired Cables, Multi Conductor Cables, Fire Alarm Cables, Fire Resistant Cables, Coaxial Cables, Data Cables,

Instrumentation Cables, Optical Fiber Cables and Connectivity.

The extensiveness of our products allow vast usability by our partners in applications such as; Building Automation, Security, Audio/ Video, SMATV, Fire Alarm and Voice & Data. In turn, our voluminous products enable us to efficiently service many market sectors and our cables are currently found in; Airports, Health Care, Education, Finance, Hospitality and Commercial sectors.

Our philosophy at B3 International is to guarantee superior quality and ensure long term customer satisfaction. We enjoy a well established culture of effective business improvements that emphasises our position globally as a preferred cable partner.

We endeavour to build upon and grow from our existing history, continuing to invest in future development of our cabling products and services which will secure our position as a market leader in the cabling world.



Multi Conductor Cables

Typical Applications:

Sound / Control / Instrumentation

Multi Conductor Cables

Typical Applications:

Sound / Control / Instrumentation

12 AWG / 300V RMS / -25°C to +75°C

Item Code PVC Sheath	Item Code PVC Plenum Sheath	Item Code PE Sheath	Item Code HFFR-LSZH Sheath	No. of Conductors	Foil Shield Y/N	Drain Wire Y/N	Nominal Overall Diameter (mm)	
							PVC	HFFR-LSZH / PVC PLENUM / PE
C1322	C8334	C1851	C1334	2	Y	Y	6.9	7.7
C1323	C8335	C1852	C1335	2	N	N	6.7	7.5
C1324	C8336	C1853	C1336	3	Y	Y	7.4	8.1
C1325	C8337	C1854	C1337	3	N	N	7.2	7.9
C1326	C8338	C1855	C1338	4	Y	Y	8.2	8.9
C1327	C8339	C1856	C1339	4	N	N	8.0	8.7
C1328	C8340	C1857	C1340	5	Y	Y	9.0	9.7
C1329	C8341	C1858	C1341	5	N	N	8.8	9.5
C1330	C8342	C1859	C1342	6	Y	Y	9.8	10.6
C1331	C8343	C1860	C1343	6	N	N	9.6	10.4
C1332	C8344	C1861	C1344	8	Y	Y	10.7	11.6
C1333	C8345	C1862	C1345	8	N	N	10.5	11.4

14 AWG / 300V RMS / -25°C to +75°C

Item Code PVC Sheath	Item Code PVC Plenum Sheath	Item Code PE Sheath	Item Code HFFR-LSZH Sheath	No. of Conductors	Foil Shield Y/N	Drain Wire Y/N	Nominal Overall Diameter (mm)	
							PVC	HFFR-LSZH / PVC PLENUM / PE
C1001	C8701	C1800	C1701	2	Y	Y	6.0	6.5
C1002	C8702	C1801	C1702	2	N	N	5.8	6.4
C1003	C8703	C1802	C1703	3	Y	Y	6.4	6.9
C1004	C8704	C1803	C1704	3	N	N	6.3	6.8
C1005	C8705	C1804	C1705	4	Y	Y	6.9	7.5
C1006	C8706	C1805	C1706	4	N	N	6.8	7.4
C1209	-	-	-	5	Y	Y	7.8	-
C1248	C8707	C1834	C1707	6	Y	Y	8.6	8.9
C1249	C8708	C1835	C1708	6	N	N	8.4	8.8
C1250	C8709	C1836	C1709	8	Y	Y	9.8	9.6
C1251	C8710	C1837	C1710	8	N	N	9.7	9.5

16 AWG / 300V RMS / -25°C to +75°C

Item Code PVC Sheath	Item Code PVC PLENUM Sheath	Item Code PE Sheath	Item Code HFFR-LSZH Sheath	No. of Conductors	Foil Shield Y/N	Drain Wire Y/N	Nominal Overall Diameter (mm)	
							PVC	HFFR-LSZH / PVC PLENUM / PE
C1007	C8711	C1806	C1711	2	Y	Y	4.6	5.5
C1008	C8712	C1807	C1712	2	N	N	4.5	5.4
C1009	C8713	C1808	C1713	3	Y	Y	4.9	5.8
C1010	C8714	C1809	C1714	3	N	N	4.8	5.7
C1011	C8715	C1810	C1715	4	Y	Y	5.3	6.3
C1012	C8716	C1811	C1716	4	N	N	5.2	6.2
C1252	C8717	C1838	C1717	6	Y	Y	6.8	7.4
C1253	C8718	C1839	C1718	6	N	N	6.7	7.3
C1254	C8719	C1840	C1719	8	Y	Y	7.6	8.0
C1255	C8720	C1841	C1720	8	N	N	7.5	7.9

18 AWG / 300V RMS / -25°C to +75°C

Item Code PVC Sheath	Item Code PVC PLENUM Sheath	Item Code PE Sheath	Item Code HFFR-LSZH Sheath	No. of Conductors	Foil Shield Y/N	Drain Wire Y/N	Nominal Overall Diameter (mm)	
							PVC	HFFR-LSZH / PVC PLENUM / PE
C1013	C8721	C1812	C1721	2	Y	Y	4.0	5.1
C1014	C8722	C1813	C1722	2	N	N	3.9	5.0
C1015	C8723	C1814	C1723	3	Y	Y	4.2	5.4
C1016	C8724	C1815	C1724	3	N	N	4.1	5.3
C1017	C8725	C1816	C1725	4	Y	Y	4.6	5.8
C1018	C8726	C1817	C1726	4	N	N	4.5	5.7
C1054	C8754	-	C1754	5	Y	Y	5.2	6.2
C1211	C8727	C1824	C1727	6	Y	Y	5.8	6.8
C1212	C8728	C1825	C1728	6	N	N	5.7	6.7
C1239	-	-	-	7	N	N	5.9	-
C1258	C8729	C1842	C1729	8	Y	Y	6.4	7.3
C1259	C8730	C1843	C1730	8	N	N	6.3	7.2
C1290	-	-	-	12	N	N	7.1	-

20 AWG / 300V RMS / -25°C to +75°C

Item Code PVC Sheath	Item Code PVC PLENUM Sheath	Item Code PE Sheath	Item Code HFFR-LSZH Sheath	No. of Conductors	Foil Shield Y/N	Drain Wire Y/N	Nominal Overall Diameter (mm)	
							PVC	HFFR-LSZH / PVC PLENUM / PE
C1019	C8731	C1818	C1731	2	Y	Y	3.5	4.7
C1020	C8732	C1819	C1732	2	N	N	3.4	4.6
C1021	C8733	C1820	C1733	3	Y	Y	3.7	4.9
C1022	C8734	C1821	C1734	3	N	N	3.6	4.8
C1023	C8735	C1822	C1735	4	Y	Y	4.1	5.3
C1024	C8736	C1823	C1736	4	N	N	4.0	5.2
-	C8753	-	C1753	5	Y	Y	-	5.7
C1260	C8737	C1844	C1737	6	Y	Y	5.0	6.2
C1261	C8738	C1845	C1738	6	N	N	4.9	6.1
C1262	C8739	C1846	C1739	8	Y	Y	5.4	6.7
C1263	C8740	C1847	C1740	8	N	N	5.3	6.6

22 AWG / 300V RMS / -25°C to +75°C

Item Code PVC Sheath	Item Code PVC PLENUM Sheath	Item Code PE Sheath	Item Code HFFR-LSZH Sheath	No. of Conductors	Foil Shield Y/N	Drain Wire Y/N	Nominal Overall Diameter (mm)	
							PVC	HFFR-LSZH / PVC PLENUM / PE
C1226	C8741	C1826	C1741	2	Y	Y	3.3	3.9
C1227	C8742	C1827	C1742	2	N	N	3.3	3.9
C1228	C8743	C1828	C1743	3	Y	Y	3.5	4.1
C1278	C8744	C1850	C1744	3	N	N	3.5	4.1
C1230	C8745	C1829	C1745	4	Y	Y	3.8	4.4
C1231	C8746	C1830	C1746	4	N	N	3.8	4.4
C1264	C8747	C1848	C1747	6	Y	Y	4.5	5.2
C1265	C8748	C1849	C1748	6	N	N	4.5	5.2
C1232	C8749	C1831	C1749	8	Y	Y	4.9	5.6
C1233	C8750	C1832	C1750	8	N	N	4.9	5.6
-	C8752	-	C1752	12	N	N	-	7.2

Multi Conductor Cables

Typical Applications:

Sound / Control / Instrumentation

22 to 18 AWG 3-Core / 300V RMS / -25°C to +75°C

Item Code PVC Sheath	Item Code HFFR-LSZH Sheath	No. of Cores	Cu Gauge (AWG)	Foil Shield Y/N	Drain Wire Y/N	Nominal Overall Diameter (mm)
C1225	C1410	3	18	Y	Y	6.2
C1245	C1411	3	20	Y	Y	5.2
C1215	C1412	3	22	Y	Y	4.9

18 AWG / UV-Resistant HFFR-LSZH / 300V RMS / -25°C to +75°C

Item Code HFFR-LSZH Sheath	No. of Cores	Cu Gauge (AWG)	Foil Shield Y/N	Drain Wire Y/N	Nominal Overall Diameter (mm)
C1351	2	18	Y	Y	5.1
C1352	3	18	Y	Y	5.4
C1353	4	18	Y	Y	5.8
C1354	6	18	Y	Y	6.8
C1355	8	18	Y	Y	7.3
C1356	10	18	Y	Y	8.4
C1357	20	18	Y	Y	10.7

16 AWG / UV-Resistant HFFR-LSZH / 300V RMS / -25°C to +75°C

Item Code HFFR-LSZH Sheath	No. of Cores	Cu Gauge (AWG)	Foil Shield Y/N	Drain Wire Y/N	Nominal Overall Diameter (mm)
C1391	2	16	Y	Y	5.5
C1392	3	16	Y	Y	5.8
C1393	4	16	Y	Y	6.3
C1394	6	16	Y	Y	7.4
C1395	8	16	Y	Y	8.0
C1396	10	16	Y	Y	9.5
C1397	20	16	Y	Y	12.1

22 AWG / UV-Resistant HFFR-LSZH / Armoured / 300V RMS / -25°C to +75°C

Item Code HFFR-LSZH Sheath	No. of Cores	Cu Gauge (AWG)	Foil Shield Y/N	Drain Wire Y/N	Armour Y/N	Nominal Overall Diameter (mm)
C1941	2	22	Y	Y	Y	8.2
C1943	3	22	Y	Y	Y	8.4
C1945	4	22	Y	Y	Y	8.7
C1947	6	22	Y	Y	Y	9.5
C1949	8	22	Y	Y	Y	9.9
C1952	12	22	Y	Y	Y	11.5
C1942	2	22	N	N	Y	8.2
C1944	3	22	N	N	Y	8.4
C1946	4	22	N	N	Y	8.7
C1948	6	22	N	N	Y	9.5
C1950	8	22	N	N	Y	9.9

20 AWG / UV-Resistant HFFR-LSZH / Armoured / 300V RMS / -25°C to +75°C

Item Code HFFR-LSZH Sheath	No. of Cores	Cu Gauge [AWG]	Foil Shield Y/N	Drain Wire Y/N	Armour Y/N	Nominal Overall Diameter (mm)
C1931	2	20	Y	Y	Y	9.0
C1933	3	20	Y	Y	Y	9.2
C1935	4	20	Y	Y	Y	9.6
C1937	6	20	Y	Y	Y	10.5
C1939	8	20	Y	Y	Y	11.0
C1932	2	20	N	N	Y	8.9
C1934	3	20	N	N	Y	9.1
C1936	4	20	N	N	Y	9.5
C1938	6	20	N	N	Y	10.4
C1940	8	20	N	N	Y	10.9

18 AWG / UV-Resistant HFFR-LSZH / 300V RMS / -25°C to +75°C

Item Code HFFR-LSZH Sheath	No. of Cores	Cu Gauge [AWG]	Foil Shield Y/N	Drain Wire Y/N	Armour Y/N	Nominal Overall Diameter (mm)
C1921	2	18	Y	Y	Y	9.4
C1923	3	18	Y	Y	Y	9.7
C1925	4	18	Y	Y	Y	10.1
C1927	6	18	Y	Y	Y	11.1
C1929	8	18	Y	Y	Y	11.6
C1922	2	18	N	N	Y	9.3
C1924	3	18	N	N	Y	9.6
C1926	4	18	N	N	Y	10.0
C1928	6	18	N	N	Y	11.0
C1930	8	18	N	N	Y	11.5

16 AWG / UV-Resistant HFFR-LSZH / Armoured / 300V RMS / -25°C to +75°C

Item Code HFFR-LSZH Sheath	No. of Cores	Cu Gauge [AWG]	Foil Shield Y/N	Drain Wire Y/N	Armour Y/N	Nominal Overall Diameter (mm)
C1911	2	16	Y	Y	Y	9.8
C1913	3	16	Y	Y	Y	10.1
C1915	4	16	Y	Y	Y	10.6
C1917	6	16	Y	Y	Y	11.7
C1919	8	16	Y	Y	Y	12.3
C1912	2	16	N	N	Y	9.7
C1914	3	16	N	N	Y	10.0
C1916	4	16	N	N	Y	10.5
C1918	6	16	N	N	Y	11.6
C1920	8	16	N	N	Y	12.2



Paired Cables

Typical Applications:

BMS / Access Control / Instrumentation

Paired Cables

Typical Applications:

BMS / Access Control / Instrumentation

R5-485 Computer Cables / 300V RMS / -20°C to +80°C

Item Code PVC Sheath	Item Code HFFR- LSZH Sheath	No. of Pairs	Cu Gauge (AWG)	Foil Shield Y/N	Drain Wire Y/N	Braiding Y/N	Nominal Overall Diameter (mm)
C1189	C1318	1	24	Y	Y	Y	5.9
C1190	C1319	2	24	Y	Y	Y	7.8
C1191	C1320	3	24	Y	Y	Y	8.6
C1192	C1321	4	24	Y	Y	Y	9.3
C1080	C1401	1	22	Y	Y	Y	6.1
C1295	C1402	2	22	Y	Y	Y	8.0
C1296	C1403	3	22	Y	Y	Y	9.3
C1297	C1404	4	22	Y	Y	Y	10.3
-	C1405	1	18	Y	Y	Y	9.0
-	C1406	2	18	Y	Y	Y	11.5
-	C1407	3	18	Y	Y	Y	13.0
-	C1408	4	18	Y	Y	Y	14.6

R5-232 Computer Cables / 300V RMS / -20°C to +80°C

Item Code PVC Sheath	Item Code HFFR- LSZH Sheath	No. of Pairs	Cu Gauge (AWG)	Foil Shield Y/N	Drain Wire Y/N	Nominal Overall Diameter (mm)
C1181	C1640	1	24	Y	Y	4.0
C1182	C1641	2	24	Y	Y	5.6
C1183	C1642	3	24	Y	Y	5.9
C1184	C1643	4	24	Y	Y	6.7
C1185	C1644	5	24	Y	Y	7.3
C1186	C1645	6	24	Y	Y	7.4
C1187	C1646	7	24	Y	Y	7.5
C1188	C1647	8	24	Y	Y	8.3

R5-422 Computer Cables / 300V RMS / -20°C to +80°C

Item Code PVC Sheath	No. of Pairs	Cu Gauge (AWG)	Ind. Foil Shield Y/N	Drain Wire Y/N	Nominal Overall Diameter (mm)
C1382	2	24	Y	Y	8.2
C1383	3	24	Y	Y	8.5
C1384	4	24	Y	Y	9.3
C1386	6	24	Y	Y	11.3
C1346	1	22	N	N	3.5
C1347	2	22	N	N	5.2
C1348	1	22	Y	Y	4.6
C1349	2	22	Y	Y	7.6

KNX/EIB Cables / 300V RMS / -25°C to +75°C

Item Code PVC Sheath	Item Code PE Sheath	No. of Pairs	Cu Gauge (AWG)	Ind. Foil Shield Y/N	Drain Wire Y/N	Braiding Y/N	Nominal Overall Diameter (mm)
C1157	C1177	2	24 + 22	Y	Y	Y	7.1
C1158	C1178	2	18 + 15	Y	Y	Y	12.2
C1194	-	2	22 + 16	Y	Y	N	9.35
C1180	-	2	20 + 16	Y	Y	N	10.1

Paired Cables

Typical Applications:

BMS / Access Control / Instrumentation

LonWorks Cables / 300V RMS / -25°C to +75°C

Item Code PVC Sheath	Item Code PE Sheath	No. of Pairs	Cu Gauge (AWG)	Ind. Foil Shield Y/N	Drain Wire Y/N	Braiding Y/N	Nominal Overall Diameter (mm)
C1157	C1177	2	24 + 22	Y	Y	Y	7.1
C1158	C1178	2	18 + 15	Y	Y	Y	12.2
C1194	-	2	22 + 16	Y	Y	N	9.35
C1180	-	2	20 + 16	Y	Y	N	10.1

Device Net Cables / 300V RMS / -25°C to +75°C

Item Code PVC Sheath	No. of Pairs	Cu Gauge (mm)	Ind. Foil Shield Y/N	Drain Wire Y/N	Nominal Overall Diameter (mm)
C1440	2	0.8	Y	Y	6.4
C1441	4	0.8	Y	Y	8.5
C1442	6	0.8	Y	Y	10.0
C1443	8	0.8	Y	Y	10.7

FFFR Cables / 300V RMS / -25°C to +75°C

Item Code PVC Sheath	Item Code PVC Plenum Sheath	Item Code HFFR-LSZH Sheath	No. of Pairs	Cu Gauge (AWG)	Ind. Foil Shield Y/N	Drain Wire Y/N	Nominal Overall Diameter (mm)	
							PVC	HFFR- LSZH / PVC Plenum
C1196	C8281	C1281	2	22	Y	Y	6.0	6.5
C1197	C8282	C1282	3	22	Y	Y	6.5	7.0
C1298	C8498	C1498	4	22	Y	Y	7.0	7.5
C1299	C8499	C1499	5	22	Y	Y	7.7	8.2
C1214	C8314	C1314	6	22	Y	Y	8.9	9.5

General Interface Cables / 22AWG / 300V RMS / Individual Screen / -25°C to +75°C

Item Code PVC Sheath	Item Code PVC Plenum Sheath	Item Code HFFR-LSZH Sheath	No. of Pairs	Cu Gauge (AWG)	Foil Shield Y/N	Drain Wire Y/N	Nominal Overall Diameter (mm)	
							PVC	HFFR-LSZH / PVC Plenum
-	C8171	C1171	1	18	Y	Y	-	5.1
C1109	C8762	C1762	2	18	Y	Y	6.8	7.0
C1110	C8763	C1763	3	18	Y	Y	7.4	8.1
C1111	C8764	C1764	4	18	Y	Y	8.4	8.9
C1112	C8765	C1765	5	18	Y	Y	9.2	9.9
C1113	C8766	C1766	6	18	Y	Y	10.0	10.2
C1114	C8767	C1767	7	18	Y	Y	10.3	10.9
C1115	C8768	C1768	8	18	Y	Y	11.3	11.9
C1116	C8769	C1769	9	18	Y	Y	12.6	13.1
C1117	C8770	C1770	10	18	Y	Y	13.5	14.0
C1118	C8771	C1771	12	18	Y	Y	14.0	14.5
C1119	C8772	C1772	2	18	N	N	6.7	7.6

General Interface Cables / 18AWG / 300V RMS / Overall Screen / -25°C to +75°C

Item Code PVC Sheath	Item Code PVC Plenum Sheath	Item Code HFFR-LSZH Sheath	No. of Pairs	Cu Gauge (AWG)	Foil Shield Y/N	Drain Wire Y/N	Nominal Overall Diameter (mm)	
							PVC	HFFR-LSZH / PVC Plenum
-	C8171	C1171	1	18	Y	Y	-	5.1
C1109	C8762	C1762	2	18	Y	Y	6.8	7.0
C1110	C8763	C1763	3	18	Y	Y	7.4	8.1
C1111	C8764	C1764	4	18	Y	Y	8.4	8.9
C1112	C8765	C1765	5	18	Y	Y	9.2	9.9
C1113	C8766	C1766	6	18	Y	Y	10.0	10.2
C1114	C8767	C1767	7	18	Y	Y	10.3	10.9
C1115	C8768	C1768	8	18	Y	Y	11.3	11.9
C1116	C8769	C1769	9	18	Y	Y	12.6	13.1
C1117	C8770	C1770	10	18	Y	Y	13.5	14.0
C1118	C8771	C1771	12	18	Y	Y	14.0	14.5
C1119	C8772	C1772	2	18	N	N	6.7	7.6
C1120	C8773	C1773	3	18	N	N	7.3	8.1
C1121	C8774	C1774	4	18	N	N	8.3	8.9
C1122	C8775	C1775	5	18	N	N	9.1	9.7
C1123	C8776	C1776	6	18	N	N	9.9	10.6
C1124	C8777	C1777	7	18	N	N	10.2	10.8
C1125	C8778	C1778	8	18	N	N	11.2	11.8
C1126	C8779	C1779	9	18	N	N	12.5	13.0
C1127	C8780	C1780	10	18	N	N	13.4	13.9
C1128	C8781	C1781	12	18	N	N	13.9	14.4

General Interface Cables / 1 pr 12 to 22 AWG / 300V RMS / Overall Screen / -25°C to +75°C

Item Code PVC Sheath	Item Code PVC Plenum Sheath	Item Code HFFR-LSZH Sheath	No. of Pairs	Cu Gauge (AWG)	Foil Shield Y/N	Drain Wire Y/N	Nominal Overall Diameter (mm)	
							PVC	HFFR- LSZH / PVC Plenum
C1313	C8303	C1303	1	12	Y	Y	9.8	9.8
C1224	C8305	C1305	1	14	Y	Y	9.0	8.8
C1213	C8270	C1270	1	16	Y	Y	7.9	7.8
C1193	C8272	C1272	1	18	Y	Y	5.6	6.0
C1195	C8308	C1308	1	20	Y	Y	5.0	5.3
C1199	C8310	C1310	1	22	Y	Y	4.4	4.8
C1302	C8304	C1304	1	12	N	N	9.7	9.8
C1222	C8306	C1306	1	14	N	N	8.7	8.7
C1198	C8307	C1307	1	16	N	N	7.65	7.7
C1203	C8271	C1271	1	18	N	N	5.75	5.9
C1300	C8309	C1309	1	20	N	N	4.7	5.2
C1301	C8311	C1311	1	22	N	N	4.3	4.7

General Interface Cables / 22 AWG / 300V RMS / Individual Screen / Armoured / -25°C to +75°C

Item Code PVC Sheath	No. of Pairs	Cu Gauge (AWG)	Ind. Foil Shield Y/N	Drain Wire Y/N	Armoured Y/N	Nominal Overall Diameter (mm)
C1398	2	22	Y	Y	Y	9.9
C1399	3	22	Y	Y	Y	10.9
C1400	6	22	Y	Y	Y	12.9

Paired Cables

Typical Applications:

BMS / Access Control / Instrumentation

General Interface Cables / 1 pr 12 to 22 AWG / 300V RMS / Individual Screen / Armoured / -25°C to +75°C

Item Code HFFR-LSZH Sheath	No. of Pairs	Cu Gauge (AWG)	Ind. Foil Shield Y/N	Drain Wire Y/N	Armoured Y/N	Nominal Overall Diameter (mm)
C2003	1	12	Y	Y	Y	14.1
C2005	1	14	Y	Y	Y	13.0
C2008	1	16	Y	Y	Y	12.0
C2010	1	18	Y	Y	Y	10.2
C2011	1	20	Y	Y	Y	9.3
C2013	1	22	Y	Y	Y	8.8
C2004	1	12	N	N	Y	14.0
C2006	1	14	N	N	Y	12.9
C2007	1	16	N	N	Y	11.9
C2009	1	18	N	N	Y	10.1
C2012	1	20	N	N	Y	9.2
C2014	1	22	N	N	Y	8.7

General Interface Cables / 18 AWG / 300V RMS / Individual Screen / Armoured / -25°C to +75°C

Item Code HFFR- LSZH Sheath	No. of Pairs	Cu Gauge (AWG)	Ind. Foil Shield Y/N	Drain Wire Y/N	Armoured Y/N	Nominal Overall Diameter (mm)
C1471	1	18	Y	Y	Y	9.4
C1472	2	18	Y	Y	Y	12.0
C1473	3	18	Y	Y	Y	12.4
C1474	4	18	Y	Y	Y	13.2
C1475	5	18	Y	Y	Y	14.2
C1476	6	18	Y	Y	Y	14.5



Fire Alarm Cables

Typical Applications:

Fire Alarm Signalling / Sound / Safety Systems


Fire Alarm Cables

Typical Applications:

Fire Alarm Signalling / Sound / Safety Systems

300V RMS + 105°C UL 1666 FPLR

Item code	No. of Conductors	Cu Gauge (AWG)	Foil Shield Y/N	Drain Wire Y/N	Nominal Overall Diameter (mm)
C1040	2	18	Y	Y	5.9
C1041	2	16	Y	Y	6.1
C1042	2	14	Y	Y	7.8
C1043	2	12	Y	Y	8.7
C1135	2	18	N	N	5.8
C1136	2	16	N	N	6.0
C1137	2	14	N	N	7.7
C1138	2	12	N	N	8.6



Fire Resistant Cables

Typical Applications:

Security & Safety Systems / Control & Instrumentation

Fire Resistant Cables

Typical Applications:

Security & Safety Systems / Control & Instrumentation

BS 6387 CWZ – EN 50200 PH120 / 300 / 500V -40°C to +90°C

Item code	No. of Conductors	Cu Size (mm ²)	Foil Shield Y/N	Drain Wire Y/N	Armour Y/N	Nominal Overall Diameter (mm)
C1760	1	1.5	N	N	N	3.98
C1761	1	2.5	N	N	N	4.58
C1284	2	0.75	Y	Y	N	6.2
C1283	2	1.0	Y	Y	N	6.8
C1044	2	1.5	Y	Y	N	8.2
C1045	2	2.5	Y	Y	N	8.9
C1289	2	4.0	Y	Y	N	12.0
C1159	3	0.75	Y	Y	N	7.7
C1160	3	1.0	Y	Y	N	8.0
C1161	3	1.5	Y	Y	N	8.9
C1162	3	2.5	Y	Y	N	10.2
C1163	3	4.0	Y	Y	N	12.5
C1139	2	0.75	N	N	N	6.1
C1140	2	1.0	N	N	N	6.7
C1141	2	1.5	N	N	N	8.1
C1142	2	2.5	N	N	N	8.8
C1143	2	4.0	N	N	N	11.9
C1152	3	0.75	N	N	N	7.6
C1153	3	1.0	N	N	N	7.9
C1154	3	1.5	N	N	N	8.8
C1155	3	2.5	N	N	N	10.1
C1156	3	4.0	N	N	N	12.4
C1145	2	2.5	Y	Y	N	7.8
C1146	2	2.5	Y	Y	N	7.8
C1289	2	4.0	Y	Y	N	12.0
C1148	2	4.0	Y	Y	N	12.0
C1204	2	1.5	Y	Y	Y	13.1
C1205	2	2.5	Y	Y	Y	14.3
C1596	3	4.0	Y	Y	Y	14.5
C1597	3	4.0	Y	Y	Y	14.5
C1598	3	6.0	Y	Y	Y	16.2
C1599	3	6.0	Y	Y	Y	16.2



Coaxial Cables

Typical Applications:

CCTV/CATV/SMATV/HDTV & Video

Coaxial Cables


Typical Applications:

CCTV/CATV/SMATV/HDTV & Video

RG59 – RG6 – RG11

Item Code HFFR-LSZH Sheath	Item Code PVC Sheath	Cable type	Conductor material	Conductor Size (mm)	Foil Shield Y/N	Braiding Y/N	Nominal Overall Diameter (mm)
C1428	C1028	RG-59	Cu	0.81	N	Y	6.0
C1429	C1029	RG-6	Cu	1.02	N	Y	6.8
C1430	C1030	RG-11	Cu	1.63	N	Y	10.0
-	C1275	RG-59	Cu	19x0.18	N	Y	6.0
-	C1276	RG-6	Cu	19x0.22	N	Y	6.8
-	C1277	RG-11	Cu	19x0.34	N	Y	10.0
C1378	C1229	RG-59	Cu	0.81	Y	Y	6.0
C1379	C1279	RG-6	Cu	1.02	Y	Y	6.8
C1380	C1280	RG-11	Cu	1.63	Y	Y	10.0
-	C1025	RG-59	CCS	0.81	Y	Y	6.0
-	C1026	RG-6	CCS	1.02	Y	Y	6.8
-	C1027	RG-11	CCS	1.63	Y	Y	10.0
-	C1256	RG-59	CCS	0.81	D	D	6.73
-	C1257	RG-6	CCS	1.02	D	D	7.52
-	C1241	RG-11	CCS	1.63	D	D	10.3

Item Code HFFR-LSZH Sheath	Item Code PVC Sheath	Cable type	Conductor material	Conductor Size (mm)	Foil Shield Y/N	Braiding Y/N	Nominal Overall Diameter (mm)
C1428	C1028	RG-59	Cu	0.81	N	Y	6.0
C1429	C1029	RG-6	Cu	1.02	N	Y	6.8
-	C1027	RG-11	CCS	1.63	Y	Y	10.0
-	C1256	RG-59	CCS	0.81	D	D	6.73
-	C1257	RG-6	CCS	1.02	D	D	7.52
-	C1241	RG-11	CCS	1.63	D	D	10.3



Category LAN Cables

Typical Applications:

Data / Voice / Local Area Network

Category LAN Cables

Typical Applications:

Data / Voice / Local Area Network

300V RMS / -20°C to +80°C

Item Code	Sheath Material	Cable type	No. of pairs	Conductor material	Conductor Gauge (AWG)	Screen type	Nominal Overall Diameter (mm)
C1201	HFFR	CAT7A	4	BC	22	SFTP	8.5
C1039	HFFR	CAT7	4	BC	23	SFTP	8.2
C1553	PVC	CAT6A Enhanced	4	BC	23	UTP	7.0
C1554	HFFR	CAT6A Enhanced	4	BC	23	UTP	7.0
C1055	PVC	CAT6A	4	BC	23	UTP	7.0
C1455	PVC CM	CAT6A	4	BC	23	UTP	7.0
C1555	PVC CMR	CAT6A	4	BC	23	UTP	7.0
C1200	HFFR	CAT6A	4	BC	23	UTP	7.0
C1056	PVC	CAT6A	4	BC	23	FTP	7.2
C1456	PVC CM	CAT6A	4	BC	23	FTP	7.2
C1556	PVC CMR	CAT6A	4	BC	23	FTP	7.2
C1052	HFFR	CAT6A	4	BC	23	FTP	7.2
C1057	PVC	CAT6A	4	BC	23	U-FTP	7.8
C1457	PVC CM	CAT6A	4	BC	23	U-FTP	7.8
C1557	PVC CMR	CAT6A	4	BC	23	U-FTP	7.8
C1053	HFFR	CAT6A	4	BC	23	U-FTP	7.8
C1637	PVC	CAT6 Enhanced	4	BC	23	UTP	6.1
C1657	HFFR	CAT6 Enhanced	4	BC	23	UTP	6.1
C1037	PVC	CAT6	4	BC	23	UTP	6.1
C1437	PVC CM	CAT6	4	BC	23	UTP	6.1
C1537	PVC CMR	CAT6	4	BC	23	UTP	6.1
C1454	PVC CMP	CAT6	4	BC	23	U/UTP	6.0
C1237	HFFR	CAT6	4	BC	23	UTP	6.1
C1483	PE	CAT6	4	BC	23	UTP	6.1
C1038	PVC	CAT6	4	BC	23	FTP	7.2
C1438	PVC CM	CAT6	4	BC	23	FTP	7.2
C1538	PVC CMR	CAT6	4	BC	23	FTP	7.2
C1238	HFFR	CAT6	4	BC	23	FTP	7.2
C1484	PE	CAT6	4	BC	23	FTP	7.2
C1481	PVC+PE	CAT6	4	BC	23	UTP	6.1
C1482	PVC+PE	CAT6	4	BC	23	FTP	7.2
C1059	PVC	CAT6	4	BC	24	UTP	6.1
C1060	HFFR	CAT6	4	BC	24	UTP	6.1
C1620	PVC	CAT6 LITE	4	BC	24	UTP	5.4
C1622	HFFR	CAT6 LITE	4	BC	24	UTP	5.4
C1540	PVC	CAT6 PATCH	4	BC	7*32	UTP	5.9

Item Code	Sheath Material	Cable type	No. of pairs	Conductor material	Conductor Gauge (AWG)	Screen type	Nominal Overall Diameter (mm)
C1514	PVC CM	CAT6 PATCH	4	BC	7*32	UTP	5.9
C1614	PVC CMR	CAT6 PATCH	4	BC	7*32	UTP	5.9
C1550	HFFR	CAT6 PATCH	4	BC	7*32	UTP	5.9
C1560	PVC	CAT6 PATCH	4	BC	7*34	FTP	6.2
C1516	PVC CM	CAT6 PATCH	4	BC	7*34	FTP	6.2
C1616	PVC CMR	CAT6 PATCH	4	BC	7*34	FTP	6.2
C1570	HFFR	CAT6 PATCH	4	BC	7*34	FTP	6.2
C1035	PVC	CAT5E	4	BC	24	UTP	4.9
C1435	PVC CM	CAT5E	4	BC	24	UTP	4.9
C1535	PVC CMR	CAT5E	4	BC	24	UTP	4.9
C1235	HFFR	CAT5E	4	BC	24	UTP	4.9
C1433	PE	CAT5E	4	BC	24	UTP	4.9
C1036	PVC	CAT5E	4	BC	24	FTP	6.1
C1436	PVC CM	CAT5E	4	BC	24	FTP	6.1
C1536	PVC CMR	CAT5E	4	BC	24	FTP	6.1
C1236	HFFR	CAT5E	4	BC	24	FTP	6.1
C1434	PE	CAT5E	4	BC	24	FTP	6.1
C1431	PVC+PE	CAT5E	4	BC	24	UTP	6.1
C1432	PVC+PE	CAT5E	4	BC	24	FTP	7.2
C1500	PVC	CAT5E PATCH	4	BC	7*32	UTP	5.2
C1511	PVC CM	CAT5E PATCH	4	BC	7*32	UTP	5.2
C1610	PVC CMR	CAT5E PATCH	4	BC	7*32	UTP	5.2
C1510	HFFR	CAT5E PATCH	4	BC	7*32	UTP	5.2
C1520	PVC	CAT5E PATCH	4	BC	7*34	FTP	5.1
C1512	PVC CM	CAT5E PATCH	4	BC	7*34	FTP	5.1
C1612	PVC CMR	CAT5E PATCH	4	BC	7*34	FTP	5.1
C1530	HFFR	CAT5E PATCH	4	BC	7*34	FTP	5.1
C1031	PVC	CAT3	2	BC	24	UTP	4.0
C1413	PVC	CAT3	3	BC	24	UTP	4.5
C1266	PVC	CAT3	6	BC	24	UTP	6.0
C1267	PVC	CAT3	12	BC	24	UTP	7.2
C1425	PVC	CAT3	18	BC	24	UTP	9.7
C1426	PVC	CAT3	20	BC	24	UTP	10.0
C1032	PVC	CAT3	25	BC	24	UTP	11.8
C1033	PVC	CAT3	50	BC	24	UTP	16.0
C1414	PVC	CAT3	75	BC	24	UTP	18.6
C1034	PVC	CAT3	100	BC	24	UTP	20.5
C1268	PVC	CAT3	150	BC	24	UTP	26.9


Category LAN Cables

Typical Applications:

Data / Voice / Local Area Network

Item Code	Sheath Material	Cable type	No. of pairs	Conductor material	Conductor Gauge (AWG)	Screen type	Nominal Overall Diameter (mm)
C1269	PVC	CAT3	200	BC	24	UTP	29.5
C1415	PVC CMR	CAT3	2	BC	24	UTP	4.0
C1424	PVC CMR	CAT3	3	BC	24	UTP	4.5
C1416	PVC CMR	CAT3	6	BC	24	UTP	6.0
C1417	PVC CMR	CAT3	12	BC	24	UTP	7.2
C1427	PVC CMR	CAT3	18	BC	24	UTP	9.7
C1439	PVC CMR	CAT3	20	BC	24	UTP	10.0
C1418	PVC CMR	CAT3	25	BC	24	UTP	11.8
C1419	PVC CMR	CAT3	50	BC	24	UTP	16.0
C1420	PVC CMR	CAT3	75	BC	24	UTP	18.6
C1421	PVC CMR	CAT3	100	BC	24	UTP	20.5
C1422	PVC CMR	CAT3	150	BC	24	UTP	26.9
C1423	PVC CMR	CAT3	200	BC	24	UTP	29.5
C1445	PVC	CAT3	2	BC	24	FTP	4.0
C1446	PVC	CAT3	6	BC	24	FTP	6.0
C1447	PVC	CAT3	12	BC	24	FTP	7.2
C1448	PVC	CAT3	25	BC	24	FTP	11.8
C1449	PVC	CAT3	50	BC	24	FTP	16.0
C1450	PVC	CAT3	75	BC	24	FTP	18.6
C1451	PVC	CAT3	100	BC	24	FTP	20.5
C1452	PVC	CAT3	150	BC	24	FTP	26.9
C1453	PVC	CAT3	200	BC	24	FTP	29.5
C1460	HFFR	CAT3	2	BC	24	UTP	4.0
C1461	HFFR	CAT3	6	BC	24	UTP	6.0
C1462	HFFR	CAT3	12	BC	24	UTP	7.2
C1463	HFFR	CAT3	25	BC	24	UTP	11.8
C1464	HFFR	CAT3	50	BC	24	UTP	16.0
C1465	HFFR	CAT3	75	BC	24	UTP	18.6
C1466	HFFR	CAT3	100	BC	24	UTP	20.5
C1467	HFFR	CAT3	150	BC	24	UTP	26.9
C1468	HFFR	CAT3	200	BC	24	UTP	29.5
C1485	HFFR	CAT3	2	BC	24	FTP	4.0
C1486	HFFR	CAT3	6	BC	24	FTP	6.0
C1487	HFFR	CAT3	12	BC	24	FTP	7.2
C1488	HFFR	CAT3	25	BC	24	FTP	11.8
C1489	HFFR	CAT3	50	BC	24	FTP	16.0
C1490	HFFR	CAT3	75	BC	24	FTP	18.6
C1491	HFFR	CAT3	100	BC	24	FTP	20.5
C1492	HFFR	CAT3	150	BC	24	FTP	26.9
C1493	HFFR	CAT3	200	BC	24	FTP	29.5
C1539	PE	CAT3 Outdoor	2	BC	24	UTP	4.7
C1541	PE	CAT3 Outdoor	6	BC	24	UTP	6.7

Item Code	Sheath Material	Cable type	No. of pairs	Conductor material	Conductor Gauge (AWG)	Screen type	Nominal Overall Diameter (mm)
C1542	PE	CAT3 Outdoor	12	BC	24	UTP	7.3
C1543	PE	CAT3 Outdoor	25	BC	24	UTP	12.6
C1544	PE	CAT3 Outdoor	50	BC	24	UTP	16.8
C1545	PE	CAT3 Outdoor	75	BC	24	UTP	19.4
C1546	PE	CAT3 Outdoor	100	BC	24	UTP	21.4
C1547	PE	CAT3 Outdoor	150	BC	24	UTP	28.1
C1548	PE	CAT3 Outdoor	200	BC	24	UTP	30.7
C1582	PVC	CAT3	2	BC	22	UTP	5.2
C1583	PVC	CAT3	3	BC	22	UTP	5.5
C1584	PVC	CAT3	6	BC	22	UTP	6.9
C1585	PVC	CAT3	12	BC	22	UTP	9.8
C1586	PVC	CAT3	18	BC	22	UTP	11.9
C1587	PVC	CAT3	20	BC	22	UTP	12.2
C1588	PVC	CAT3	25	BC	22	UTP	14.2
C1589	PVC	CAT3	50	BC	22	UTP	20.9
C1590	PVC	CAT3	75	BC	22	UTP	25.8
C1591	PVC	CAT3	100	BC	22	UTP	28.7
C1592	PVC	CAT3	150	BC	22	UTP	35.2
C1592	PVC	CAT3	200	BC	22	UTP	38.5



Def stan Cables

Typical Applications:

Process Control Systems / Sound System
/ Military Applications

Def stan Cables

Typical Applications:

Process Control Systems / Sound System
/ Military Applications

250V RMS / 0°C to +70°C
DEF STAN 61-12 P4 7C 0.1

Item Code PVC Sheath	No. of Cores	Cu Size (mm)	Braiding Y/N	Nominal Overall Diameter (mm)
C2020	2	7*0.1	N	2.5
C2021	3	7*0.1	N	2.6
C2011	4	7*0.1	N	2.8
C2023	5	7*0.1	N	3.3
C2024	9	7*0.1	N	3.8
C2025	12	7*0.1	N	4.1
C2026	15	7*0.1	N	4.5
C2027	18	7*0.1	N	4.7
C2028	25	7*0.1	N	5.8
C2029	36	7*0.1	N	6.4
C2030	50	7*0.1	N	7.3
C2031	60	7*0.1	N	8.0
C2032	85	7*0.1	N	9.1
C2033	108	7*0.1	N	10.2
C2034	162	7*0.1	N	12.2
C2050	2	7*0.1	Y	3.0
C2051	3	7*0.1	Y	3.2
C2052	4	7*0.1	Y	3.4
C2053	6	7*0.1	Y	3.8
C2054	9	7*0.1	Y	4.4
C2055	12	7*0.1	Y	4.6
C2056	18	7*0.1	Y	5.8
C2057	25	7*0.1	Y	6.6
C2058	36	7*0.1	Y	7.2
C2059	50	7*0.1	Y	8.3
C2060	60	7*0.1	Y	8.8
C2061	85	7*0.1	Y	9.9
C2062	108	7*0.1	Y	11.3
C2063	162	7*0.1	Y	13.3

Def stan Cables

Typical Applications:

Process Control Systems / Sound System
/ Military Applications

DEF STAN 61-12 P4 7C 0.2 440V
RMS / 0°C to +70°C


Item Code PVC Sheath	No. of Cores	Cu Size (mm)	Braiding Y/N	Nominal Overall Diameter (mm)
C2035	2	7*0.2	N	3.6
C2036	3	7*0.2	N	3.8
C2037	4	7*0.2	N	4.1
C2038	6	7*0.2	N	4.8
C2039	8	7*0.2	N	5.8
C2040	12	7*0.2	N	6.4
C2041	18	7*0.2	N	7.7
C2042	20	7*0.2	N	7.9
C2043	25	7*0.2	N	9.0
C2044	36	7*0.2	N	10.1
C2045	50	7*0.2	N	12.0
C2046	60	7*0.2	N	12.8
C2047	85	7*0.2	N	15.1
C2048	108	7*0.2	N	16.9
C2049	162	7*0.2	N	20.2
C2064	2	7*0.2	Y	4.1
C2065	3	7*0.2	Y	4.3
C2066	4	7*0.2	Y	4.6
C2067	6	7*0.2	Y	5.9
C2068	8	7*0.2	Y	6.4
C2069	12	7*0.2	Y	7.2
C2070	18	7*0.2	Y	8.5
C2071	20	7*0.2	Y	8.9
C2072	25	7*0.2	Y	9.8
C2073	36	7*0.2	Y	11.2
C2074	50	7*0.2	Y	13.0
C2075	60	7*0.2	Y	13.8
C2076	85	7*0.2	Y	16.2
C2077	108	7*0.2	Y	18.2
C2078	162	7*0.2	Y	21.3

DEF STAN 61-12 P5 16C 0.2 440V
RMS / 0°C to +70°C

Item Code PVC Sheath	No. of Cores	Cu Size (mm)	Braiding Y/N	Nominal Overall Diameter (mm)
C2079	2	16*0.2	N	5.9
C2080	3	16*0.2	N	6.2
C2081	4	16*0.2	N	6.7
C2082	6	16*0.2	N	7.7
C2083	12	16*0.2	N	9.9
C2084	18	16*0.2	N	11.5
C2085	25	16*0.2	N	13.6
C2086	1	16*0.2	Y	3.8
C2087	2	16*0.2	Y	6.9
C2088	3	16*0.2	Y	7.2
C2089	4	16*0.2	Y	7.7
C2090	6	16*0.2	Y	8.7
C2091	10	16*0.2	Y	11.8
C2092	12	16*0.2	Y	11.0
C2093	18	16*0.2	Y	12.5
C2094	25	16*0.2	Y	14.5
C2095	36	16*0.2	Y	16.7
C2096	60	16*0.2	Y	20.3

D10 DEF STAN 61-12 P12 sec 3 600V
RMS / -40°C to +70°C

Item Code PVC Sheath	No. of Cores	Cu Size (mm)	Braiding Y/N	Nominal Overall Diameter (mm)
C1240	2	7*0.28	N	2.15 x 4.30



Instrumentation Cables PAS/BS5308 Type

Typical Application:

Chemical, Gas and Petrochemical markets
/Distributed Control Systems

Instrumentation Cables PAS/BS5308 Type

Typical Application:

Chemical, Gas and Petrochemical markets
/Distributed Control Systems

500V RMS / -20°C to +80°C

Part I: Type I: PE insulation with Collectively Screened unarmoured

Item Code PVC Sheath	No. of Pairs	Cu Size (sq mm)	Screen Y/N	Armoured Y/N	Nominal Overall Diameter (mm)
C3000	1	0.5 (16*0.2)	Y	N	6.00
C3001	2	0.5 (16*0.2)	Y	N	6.90
C3002	3	0.5 (16*0.2)	Y	N	10.00
C3003	5	0.5 (16*0.2)	Y	N	12.10
C3004	10	0.5 (16*0.2)	Y	N	16.20
C3005	15	0.5 (16*0.2)	Y	N	18.20
C3006	20	0.5 (16*0.2)	Y	N	21.30
C3007	30	0.5 (16*0.2)	Y	N	25.90
C3008	50	0.5 (16*0.2)	Y	N	32.90
C3009	1 TRIPE	0.5 (16*0.2)	Y	N	6.30
C3010	1	0.75 (24*0.2)	Y	N	6.40
C3011	2	0.75 (24*0.2)	Y	N	7.40
C3013	5	0.75 (24*0.2)	Y	N	13.30
C3014	10	0.75 (24*0.2)	Y	N	16.20
C3015	15	0.75 (24*0.2)	Y	N	20.50
C3016	20	0.75 (24*0.2)	Y	N	21.30
C3017	30	0.75 (24*0.2)	Y	N	28.50
C3018	50	0.75 (24*0.2)	Y	N	36.40
C3019	1 TRIPE	0.75 (24*0.2)	Y	N	6.80
C3020	1	1.50 (7*0.53)	Y	N	7.30
C3021	2	1.50 (7*0.53)	Y	N	8.70
C3023	5	1.50 (7*0.53)	Y	N	15.40
C3024	10	1.50 (7*0.53)	Y	N	20.60
C3025	15	1.50 (7*0.53)	Y	N	24.20
C3026	20	1.50 (7*0.53)	Y	N	27.50
C3027	30	1.50 (7*0.53)	Y	N	33.30
C3028	50	1.50 (7*0.53)	Y	N	42.60
C3029	1 TRIPE	1.50 (7*0.53)	Y	N	7.80

Instrumentation Cables PAS/BS5308 Type

Typical Application:

Chemical, Gas and Petrochemical markets
/Distributed Control Systems

Part 1: Type 1: PE insulation with Individually & Collectively Screened unarmoured

Item Code PVC Sheath	No. of Pairs	Cu Size (sq mm)	Screen Y/N	Armoured Y/N	Nominal Overall Diameter (mm)
C3030	2	0.5 [16*0.2]	Y	N	11.00
C3031	5	0.5 [16*0.2]	Y	N	14.20
C3032	10	0.5 [16*0.2]	Y	N	20.10
C3033	15	0.5 [16*0.2]	Y	N	23.50
C3034	20	0.5 [16*0.2]	Y	N	26.30
C3035	30	0.5 [16*0.2]	Y	N	31.30
C3036	50	0.5 [16*0.2]	Y	N	40.70
C3037	2	0.75 [24*0.2]	Y	N	11.80
C3038	5	0.75 [24*0.2]	Y	N	15.20
C3039	10	0.75 [24*0.2]	Y	N	21.60
C3040	15	0.75 [24*0.2]	Y	N	25.20
C3041	20	0.75 [24*0.2]	Y	N	28.80
C3042	30	0.75 [24*0.2]	Y	N	34.40
C3043	50	0.75 [24*0.2]	Y	N	43.90
C3044	2	1.50 [7*0.53]	Y	N	13.70
C3045	5	1.50 [7*0.53]	Y	N	17.80
C3046	10	1.50 [7*0.53]	Y	N	25.50
C3047	15	1.50 [7*0.53]	Y	N	29.80
C3048	20	1.50 [7*0.53]	Y	N	33.40
C3049	30	1.50 [7*0.53]	Y	N	40.00
C3050	50	1.50 [7*0.53]	Y	N	51.20

Part 1: Type2: PE insulation with Collectively Screened Armoured

Item Code PVC Sheath	No. of Pairs	Cu Size (sq mm)	Screen Y/N	Armoured Y/N	Nominal Overall Diameter (mm)
C3051	1	0.5 [16*0.2]	Y	Y	10.40
C3052	2	0.5 [16*0.2]	Y	Y	11.30
C3053	5	0.5 [16*0.2]	Y	Y	16.90
C3054	10	0.5 [16*0.2]	Y	Y	21.90
C3055	15	0.5 [16*0.2]	Y	Y	25.40
C3056	20	0.5 [16*0.2]	Y	Y	28.10
C3057	30	0.5 [16*0.2]	Y	Y	32.90
C3058	50	0.5 [16*0.2]	Y	Y	41.10
C3059	1 TRIPE	0.5 [16*0.2]	Y	Y	10.80
C3060	1	0.75 [24*0.2]	Y	Y	10.80
C3061	2	0.75 [24*0.2]	Y	Y	12.00
C3062	5	0.75 [24*0.2]	Y	Y	18.70
C3063	10	0.75 [24*0.2]	Y	Y	23.30
C3064	15	0.75 [24*0.2]	Y	Y	27.10

Item Code PVC Sheath	No. of Pairs	Cu Size (sq mm)	Screen Y/N	Armoured Y/N	Nominal Overall Diameter (mm)
C3065	20	0.75 (24*0.2)	Y	Y	30.20
C3066	30	0.75 (24*0.2)	Y	Y	35.20
C3067	50	0.75 (24*0.2)	Y	Y	44.70
C3068	1 TRIPE	0.75 (24*0.2)	Y	Y	11.40
C3069	1	1.50 (7*0.53)	Y	Y	11.90
C3070	2	1.50 (7*0.53)	Y	Y	13.30
C3071	5	1.50 (7*0.53)	Y	Y	21.10
C3072	10	1.50 (7*0.53)	Y	Y	27.40
C3073	15	1.50 (7*0.53)	Y	Y	31.20
C3074	20	1.50 (7*0.53)	Y	Y	35.50
C3075	30	1.50 (7*0.53)	Y	Y	41.50
C3076	50	1.50 (7*0.53)	Y	Y	52.40
C3077	1 TRIPE	1.50 (7*0.53)	Y	Y	12.20

Part I : Type2: PE insulation with Individually & Collectively Screened Armoured

Item Code PVC Sheath	No. of Pairs	Cu Size (sq mm)	Screen Y/N	Armoured Y/N	Nominal Overall Diameter (mm)
C3078	2	0.5 (16*0.2)	Y	Y	15.80
C3079	5	0.5 (16*0.2)	Y	Y	19.90
C3080	10	0.5 (16*0.2)	Y	Y	26.90
C3081	15	0.5 (16*0.2)	Y	Y	30.30
C3082	20	0.5 (16*0.2)	Y	Y	33.30
C3083	30	0.5 (16*0.2)	Y	Y	39.50
C3084	50	0.5 (16*0.2)	Y	Y	50.50
C3085	2	0.75 (24*0.2)	Y	Y	16.60
C3086	5	0.75 (24*0.2)	Y	Y	20.90
C3087	10	0.75 (24*0.2)	Y	Y	28.40
C3088	15	0.75 (24*0.2)	Y	Y	32.20
C3089	20	0.75 (24*0.2)	Y	Y	36.80
C3090	30	0.75 (24*0.2)	Y	Y	42.80
C3091	50	0.75 (24*0.2)	Y	Y	53.90
C3092	2	1.50 (7*0.53)	Y	Y	19.40
C3093	5	1.50 (7*0.53)	Y	Y	24.40
C3094	10	1.50 (7*0.53)	Y	Y	32.50
C3095	15	1.50 (7*0.53)	Y	Y	37.80
C3096	20	1.50 (7*0.53)	Y	Y	41.60
C3097	30	1.50 (7*0.53)	Y	Y	50.00
C3098	50	1.50 (7*0.53)	Y	Y	61.60

Instrumentation Cables PAS/BS5308 Type

Typical Application:
Chemical, Gas and Petrochemical markets
/Distributed Control Systems

Part 2: Type I : PVC insulation with Collectively Screened Unarmoured

Item Code PVC Sheath	No. of Pairs	Cu Size (sq mm)	Screen Y/N	Armoured Y/N	Nominal Overall Diameter (mm)
C3099	1	0.5 (16*0.2)	Y	N	6.00
C3100	2	0.5 (16*0.2)	Y	N	6.90
C3101	5	0.5 (16*0.2)	Y	N	12.10
C3102	10	0.5 (16*0.2)	Y	N	16.20
C3103	15	0.5 (16*0.2)	Y	N	18.20
C3104	20	0.5 (16*0.2)	Y	N	21.30
C3105	30	0.5 (16*0.2)	Y	N	25.90
C3106	50	0.5 (16*0.2)	Y	N	32.90
C3107	1 TRIPE	0.5 (16*0.2)	Y	N	6.30
C3108	1	0.75 (24*0.2)	Y	N	6.40
C3109	2	0.75 (24*0.2)	Y	N	7.40
C3110	5	0.75 (24*0.2)	Y	N	13.30
C3111	10	0.75 (24*0.2)	Y	N	16.20
C3112	15	0.75 (24*0.2)	Y	N	20.50
C3113	20	0.75 (24*0.2)	Y	N	21.30
C3114	30	0.75 (24*0.2)	Y	N	28.50
C3115	50	0.75 (24*0.2)	Y	N	36.40
C3116	1 TRIPE	0.75 (24*0.2)	Y	N	6.80
C3117	1	1.50 (7*0.53)	Y	N	7.30
C3118	2	1.50 (7*0.53)	Y	N	8.70
C3119	5	1.50 (7*0.53)	Y	N	15.40
C3120	10	1.50 (7*0.53)	Y	N	20.60
C3121	15	1.50 (7*0.53)	Y	N	24.20
C3122	20	1.50 (7*0.53)	Y	N	27.50
C3123	30	1.50 (7*0.53)	Y	N	33.30
C3124	50	1.50 (7*0.53)	Y	N	42.60
C3125	1 TRIPE	1.50 (7*0.53)	Y	N	7.80

Part 2: Type I : PVC insulation with Individually & Collectively Screened Unarmoured

Item Code PVC Sheath	No. of Pairs	Cu Size (sq mm)	Screen Y/N	Armoured Y/N	Nominal Overall Diameter (mm)
C3126	2	0.5 (16*0.2)	Y	N	11.00
C3127	5	0.5 (16*0.2)	Y	N	14.20
C3128	10	0.5 (16*0.2)	Y	N	20.10
C3129	15	0.5 (16*0.2)	Y	N	23.50
C3130	20	0.5 (16*0.2)	Y	N	26.30
C3131	30	0.5 (16*0.2)	Y	N	31.30
C3132	50	0.5 (16*0.2)	Y	N	40.70
C3133	2	0.75 (24*0.2)	Y	N	11.80
C3134	5	0.75 (24*0.2)	Y	N	15.20

Item Code PVC Sheath	No. of Pairs	Cu Size (sq mm)	Screen Y/N	Armoured Y/N	Nominal Overall Diameter (mm)
C3134	5	0.75 [24*0.2]	Y	N	15.20
C3135	10	0.75 [24*0.2]	Y	N	21.60
C3136	15	0.75 [24*0.2]	Y	N	25.20
C3137	20	0.75 [24*0.2]	Y	N	28.80
C3138	30	0.75 [24*0.2]	Y	N	34.40
C3139	50	0.75 [24*0.2]	Y	N	43.90
C3140	2	1.50 [7*0.53]	Y	N	13.70
C3141	5	1.50 [7*0.53]	Y	N	17.80
C3142	10	1.50 [7*0.53]	Y	N	25.50
C3143	15	1.50 [7*0.53]	Y	N	29.80
C3144	20	1.50 [7*0.53]	Y	N	33.40
C3145	30	1.50 [7*0.53]	Y	N	40.00
C3146	50	1.50 [7*0.53]	Y	N	51.20

Part 2: Type2: PVC insulation with Collectively Screened Armoured

Item Code PVC Sheath	No. of Pairs	Cu Size (sq mm)	Screen Y/N	Armoured Y/N	Nominal Overall Diameter (mm)
C3147	1	0.5 [16*0.2]	Y	Y	10.40
C3148	2	0.5 [16*0.2]	Y	Y	11.30
C3149	5	0.5 [16*0.2]	Y	Y	16.90
C3150	10	0.5 [16*0.2]	Y	Y	21.90
C3151	15	0.5 [16*0.2]	Y	Y	25.40
C3152	20	0.5 [16*0.2]	Y	Y	28.10
C3153	30	0.5 [16*0.2]	Y	Y	32.90
C3154	50	0.5 [16*0.2]	Y	Y	41.10
C3155	1 TRIPE	0.5 [16*0.2]	Y	Y	10.80
C3156	1	0.75 [24*0.2]	Y	Y	10.80
C3157	2	0.75 [24*0.2]	Y	Y	12.00
C3158	5	0.75 [24*0.2]	Y	Y	18.70
C3159	10	0.75 [24*0.2]	Y	Y	23.30
C3160	15	0.75 [24*0.2]	Y	Y	27.10
C3161	20	0.75 [24*0.2]	Y	Y	30.20
C3162	30	0.75 [24*0.2]	Y	Y	35.20
C3163	50	0.75 [24*0.2]	Y	Y	44.70
C3164	1 TRIPE	0.75 [24*0.2]	Y	Y	11.40
C3165	1	1.50 [7*0.53]	Y	Y	11.90
C3166	2	1.50 [7*0.53]	Y	Y	13.30
C3167	5	1.50 [7*0.53]	Y	Y	21.10
C3168	10	1.50 [7*0.53]	Y	Y	27.40
C3169	15	1.50 [7*0.53]	Y	Y	31.20
C3170	20	1.50 [7*0.53]	Y	Y	35.50
C3171	30	1.50 [7*0.53]	Y	Y	41.50

Instrumentation Cables PAS/BS5308 Type

Typical Application:

Chemical, Gas and Petrochemical markets
/Distributed Control Systems

Item Code PVC Sheath	No. of Pairs	Cu Size (sq mm)	Screen Y/N	Armoured Y/N	Nominal Overall Diameter (mm)
C3172	50	1.50 (7*0.53)	Y	Y	52.40
C3173	1 TRIPE	1.50 (7*0.53)	Y	Y	12.20

Part 2: Type2: PVC insulation Individually & Collectively Screened Armoured

Item Code PVC Sheath	No. of Pairs	Cu Size (sq mm)	Screen Y/N	Armoured Y/N	Nominal Overall Diameter (mm)
C3174	2	0.5 (16*0.2)	Y	Y	15.80
C3175	5	0.5 (16*0.2)	Y	Y	19.90
C3176	10	0.5 (16*0.2)	Y	Y	26.90
C3177	15	0.5 (16*0.2)	Y	Y	30.30
C3178	20	0.5 (16*0.2)	Y	Y	33.30
C3179	30	0.5 (16*0.2)	Y	Y	39.50
C3180	50	0.5 (16*0.2)	Y	Y	50.50
C3181	2	0.75 (24*0.2)	Y	Y	16.60
C3182	5	0.75 (24*0.2)	Y	Y	20.90
C3183	10	0.75 (24*0.2)	Y	Y	28.40
C3184	15	0.75 (24*0.2)	Y	Y	32.20
C3185	20	0.75 (24*0.2)	Y	Y	36.80
C3186	30	0.75 (24*0.2)	Y	Y	42.80
C3187	50	0.75 (24*0.2)	Y	Y	53.90
C3188	2	1.50 (7*0.53)	Y	Y	19.40
C3189	5	1.50 (7*0.53)	Y	Y	24.40
C3190	10	1.50 (7*0.53)	Y	Y	32.50
C3191	15	1.50 (7*0.53)	Y	Y	37.80
C3192	20	1.50 (7*0.53)	Y	Y	41.60
C3193	30	1.50 (7*0.53)	Y	Y	50.00
C3194	50	1.50 (7*0.53)	Y	Y	61.60



Tray Cables – PLTC/TC

Typical Application:

Chemical, Gas and Petrochemical markets /
Distributed Control Systems

Tray Cables – PLTC/TC

Typical Application:

Chemical, Gas and Petrochemical markets /
Distributed Control Systems

22 AWG / PVC / 300V RMS / -30°C to +105°C

Item Code PVC Sheath	No. of Pairs	Cu Gauge (AWG)	Foil Shield Y/N	Drain Wire Y/N	Nominal Overall Diameter (mm)
C2700	2	22(7×30)	Y	Y	7.9
C2701	4	22(7×30)	Y	Y	9.1
C2702	8	22(7×30)	Y	Y	11.4
C2703	12	22(7×30)	Y	Y	13.6
C2704	16	22(7×30)	Y	Y	15.1
C2705	24	22(7×30)	Y	Y	19.0
C2706	50	22(7×30)	Y	Y	25.8

20 AWG / PVC / 300V RMS / -30°C to +105°C

Item Code PVC Sheath	No. of Pairs	Cu Gauge (AWG)	Foil Shield Y/N	Drain Wire Y/N	Nominal Overall Diameter (mm)
C2707	1	20(7×28)	Y	Y	5.3
C2708	2	20(7×28)	Y	Y	6.4
C2709	4	20(7×28)	Y	Y	9.5
C2710	8	20(7×28)	Y	Y	12.0
C2711	12	20(7×28)	Y	Y	14.4
C2712	16	20(7×28)	Y	Y	16.5
C2713	24	20(7×28)	Y	Y	20.0
C2714	36	20(7×28)	Y	Y	24.4
C2715	50	20(7×28)	Y	Y	28.4

18 AWG / PVC / 300V RMS / -30°C to +105°C

Item Code PVC Sheath	No. of Pairs	Cu Gauge (AWG)	Foil Shield Y/N	Drain Wire Y/N	Nominal Overall Diameter (mm)
C2716	1	18 (7×26)	Y	Y	5.9
C2717	2	18 (7×26)	Y	Y	9.5
C2718	3	18 (7×26)	Y	Y	10.5
C2719	4	18 (7×26)	Y	Y	11.4
C2720	8	18 (7×26)	Y	Y	13.7
C2721	12	18 (7×26)	Y	Y	17.0
C2722	16	18 (7×26)	Y	Y	18.1
C2723	24	18 (7×26)	Y	Y	23.6
C2724	36	18 (7×26)	Y	Y	26.9
C2725	50	18 (7×26)	Y	Y	31.5

16 AWG / PVC / 300V RMS / -30°C to +105°C

Item Code PVC Sheath	No. of Pairs	Cu Gauge (AWG)	Foil Shield Y/N	Drain Wire Y/N	Nominal Overall Diameter (mm)
C2726	1	16 (7x24)	Y	Y	6.5
C2727	2	16 (7x24)	Y	Y	11.1
C2728	3	16 (7x24)	Y	Y	11.3
C2729	4	16 (7x24)	Y	Y	12.7
C2730	8	16 (7x24)	Y	Y	15.4
C2731	12	16 (7x24)	Y	Y	19.0
C2732	16	16 (7x24)	Y	Y	21.1
C2733	24	16 (7x24)	Y	Y	26.6
C2734	36	16 (7x24)	Y	Y	30.0
C2735	50	16 (7x24)	Y	Y	39.6

20 AWG Triad / PVC / 300V RMS / -30°C to +105°C

Item Code PVC Sheath	No. of Triads	Cu Gauge (AWG)	Foil Shield Y/N	Drain Wire Y/N	Nominal Overall Diameter (mm)
C2736	1	20(7x28)	Y	Y	5.7
C2737	2	20(7x28)	Y	Y	9.2
C2738	4	20(7x28)	Y	Y	12.0
C2739	8	20(7x28)	Y	Y	14.2
C2740	12	20(7x28)	Y	Y	18.0
C2741	16	20(7x28)	Y	Y	20.9
C2742	24	20(7x28)	Y	Y	26.2

18 AWG Triad / PVC / 300V RMS / -30°C to +105°C

Item Code PVC Sheath	No. of Triads	Cu Gauge (AWG)	Foil Shield Y/N	Drain Wire Y/N	Nominal Overall Diameter (mm)
C2743	1	18(7x26)	Y	Y	6.2
C2744	2	18(7x26)	Y	Y	10.7
C2745	4	18(7x26)	Y	Y	13.2
C2746	8	18(7x26)	Y	Y	14.7
C2747	16	18(7x26)	Y	Y	22.9
C2748	24	18(7x26)	Y	Y	25.9

Tray Cables – PLTC/TC

Typical Application:

Chemical, Gas and Petrochemical markets /
Distributed Control Systems

16 AWG Triad / PVC / 300V RMS / -30°C to +105°C

Item Code PVC Sheath	No. of Triads	Cu Gauge (AWG)	Foil Shield Y/N	Drain Wire Y/N	Nominal Overall Diameter (mm)
C2749	1	16(7x24)	Y	Y	6.9
C2750	2	16(7x24)	Y	Y	12.3
C2751	4	16(7x24)	Y	Y	14.5
C2752	8	16(7x24)	Y	Y	19.3
C2753	16	16(7x24)	Y	Y	26.2
C2754	24	16(7x24)	Y	Y	30.0

18 AWG Triad / PVC / 300V RMS / -30°C to +105°C

Item Code PVC Sheath	No. of Triads	Cu Gauge (AWG)	Foil Shield Y/N	Drain Wire Y/N	Nominal Overall Diameter (mm)
C2755	1	18(7x26)	Y	Y	6.8
C2756	2	18(7x26)	Y	Y	10.3
C2757	4	18(7x26)	Y	Y	12.0
C2758	8	18(7x26)	Y	Y	15.2
C2759	12	18(7x26)	Y	Y	18.3
C2760	16	18(7x26)	Y	Y	20.1
C2761	24	18(7x26)	Y	Y	25.8
C2762	36	18(7x26)	Y	Y	29.8
C2763	50	18(7x26)	Y	Y	34.9

18 AWG / PVC + Nylon / 600V RMS / -30°C to +105°C

Item Code PVC Sheath	No. of Pairs	Cu Gauge (AWG)	Foil Shield Y/N	Drain Wire Y/N	Nominal Overall Diameter (mm)
C2755	1	18(7x26)	Y	Y	6.8
C2756	2	18(7x26)	Y	Y	10.3
C2757	4	18(7x26)	Y	Y	12.0
C2758	8	18(7x26)	Y	Y	15.2
C2759	12	18(7x26)	Y	Y	18.3
C2760	16	18(7x26)	Y	Y	20.1
C2761	24	18(7x26)	Y	Y	25.8
C2762	36	18(7x26)	Y	Y	29.8
C2763	50	18(7x26)	Y	Y	34.9

16 AWG / PVC + Nylon / 600V RMS / -30°C to +105°C

Item Code PVC Sheath	No. of Pairs	Cu Gauge (AWG)	Foil Shield Y/N	Drain Wire Y/N	Nominal Overall Diameter (mm)
C2764	1	16(7x24)	Y	Y	7.7
C2765	2	16(7x24)	Y	Y	11.5
C2766	3	16(7x24)	Y	Y	12.3
C2767	4	16(7x24)	Y	Y	14.2
C2768	8	16(7x24)	Y	Y	17.2
C2769	12	16(7x24)	Y	Y	20.6
C2770	16	16(7x24)	Y	Y	24.0
C2771	24	16(7x24)	Y	Y	29.4
C2772	36	16(7x24)	Y	Y	33.5
C2773	50	16(7x24)	Y	Y	39.4

1 Triad / PVC + Nylon / 600V RMS / -30°C to +105°C

Item Code PVC Sheath	No. of Pairs	Cu Gauge (AWG)	Foil Shield Y/N	Drain Wire Y/N	Nominal Overall Diameter (mm)
C2774	1	18(7x26)	Y	Y	7.2
C2775	1	16(7x24)	Y	Y	7.9
C2776	1	14(7x22)	Y	Y	9.2
C2777	1	12(7x20)	Y	Y	10.0

18AWG / PVC + Nylon / Armoured / 600V RMS / -30°C to +105°C

Item Code PVC Sheath	No. of Pairs	Cu Gauge (AWG)	Foil Shield Y/N	Drain Wire Y/N	Armour Y/N	Nominal Overall Diameter (mm)
C2778	1	18(7x26)	Y	Y	Y	11.0
C2779	2	18(7x26)	Y	Y	Y	14.5
C2780	4	18(7x26)	Y	Y	Y	16.2
C2781	8	18(7x26)	Y	Y	Y	20.2
C2782	12	18(7x26)	Y	Y	Y	23.3
C2783	16	18(7x26)	Y	Y	Y	25.1
C2784	24	18(7x26)	Y	Y	Y	31.8
C2785	36	18(7x26)	Y	Y	Y	35.8
C2786	50	18(7x26)	Y	Y	Y	40.9


Tray Cables – PLTC/TC

Typical Application:

Chemical, Gas and Petrochemical markets /
Distributed Control Systems

16AWG / PVC + Nylon / Armoured / 600V RMS / -30°C to +105°C

Item Code PVC Sheath	No. of Pairs	Cu Gauge (AWG)	Foil Shield Y/N	Drain Wire Y/N	Armour Y/N	Nominal Overall Diameter (mm)
C2787	1	16(7x24)	Y	Y	Y	12.5
C2788	2	16(7x24)	Y	Y	Y	16.3
C2789	3	16(7x24)	Y	Y	Y	17.1
C2790	4	16(7x24)	Y	Y	Y	19.0
C2791	8	16(7x24)	Y	Y	Y	22.0
C2792	12	16(7x24)	Y	Y	Y	25.4
C2793	16	16(7x24)	Y	Y	Y	29.8
C2794	24	16(7x24)	Y	Y	Y	35.2
C2795	36	16(7x24)	Y	Y	Y	39.3
C2796	50	16(7x24)	Y	Y	Y	45.2



Control Cables

Typical Application:
Flexible Power Control /
Data Transfer & Industry Applications

Control Cables

Typical Application:

Flexible Power Control /

Data Transfer & Industry Applications

YY type 0.5mm²

Item Code PVC Sheath	Item Code HFFR-LSZH Sheath	No. of Cores	Cu Size (sq mm)	Screen Y/N	Nominal Overall Diameter (mm)
C2191	C2328	2	15/0.20	N	5.00
C2192	C2329	3	15/0.20	N	5.30
C2193	C2330	4	15/0.20	N	5.70
C2194	C2331	5	15/0.20	N	6.20
C2195	C2332	7	15/0.20	N	6.70
C2196	C2333	8	15/0.20	N	7.20
C2197	C2334	10	15/0.20	N	8.40
C2198	C2335	12	15/0.20	N	8.70
C2199	C2336	16	15/0.20	N	9.60
C2200	C2337	18	15/0.20	N	10.10
C2201	C2338	20	15/0.20	N	10.40
C2202	C2339	21	15/0.20	N	10.60
C2203	C2340	25	15/0.20	N	12.30
C2204	C2341	30	15/0.20	N	12.70
C2205	C2342	32	15/0.20	N	13.40
C2206	C2343	34	15/0.20	N	14.00
C2207	C2344	36	15/0.20	N	15.00
C2208	C2345	40	15/0.20	N	16.00

YY type 0.75mm²

Item Code PVC Sheath	Item Code HFFR-LSZH Sheath	No. of Cores	Cu Size (sq mm)	Screen Y/N	Nominal Overall Diameter (mm)
C2209	C2346	2	23/0.20	N	5.40
C2210	C2347	3	23/0.20	N	5.70
C2211	C2348	4	23/0.20	N	6.20
C2212	C2349	5	23/0.20	N	6.80
C2213	C2350	6	23/0.20	N	7.30
C2214	C2351	7	23/0.20	N	7.30
C2215	C2352	8	23/0.20	N	7.90
C2216	C2353	10	23/0.20	N	9.20
C2217	C2354	12	23/0.20	N	9.50
C2218	C2355	18	23/0.20	N	11.30
C2219	C2356	20	23/0.20	N	11.60
C2220	C2357	21	23/0.20	N	11.90
C2221	C2358	25	23/0.20	N	13.70
C2222	C2359	32	23/0.20	N	14.70
C2223	C2360	34	23/0.20	N	15.30
C2224	C2361	42	23/0.20	N	17.60
C2225	C2362	50	23/0.20	N	18.40
C2226	C2363	65	23/0.20	N	15.30

YY type 1.0mm²

Item Code PVC Sheath	Item Code HFFR-LSZH Sheath	No. of Cores	Cu Size (sq mm)	Screen Y/N	Nominal Overall Diameter (mm)
C2227	C2364	2	30/0.20	N	5.80
C2228	C2365	3	30/0.20	N	6.10
C2229	C2366	4	30/0.20	N	6.70
C2230	C2367	5	30/0.20	N	7.30
C2231	C2368	7	30/0.20	N	7.90
C2232	C2369	8	30/0.20	N	8.50
C2233	C2370	10	30/0.20	N	10.00
C2234	C2371	12	30/0.20	N	10.30
C2235	C2372	14	30/0.20	N	10.90
C2236	C2373	18	30/0.20	N	12.30
C2237	C2374	21	30/0.20	N	12.90
C2238	C2375	25	30/0.20	N	15.00
C2239	C2376	34	30/0.20	N	17.10
C2240	C2377	41	30/0.20	N	19.60
C2241	C2378	42	30/0.20	N	19.60
C2242	C2379	50	30/0.20	N	20.50
C2243	C2380	65	30/0.20	N	22.50

YY type 1.5mm²

Item Code PVC Sheath	Item Code HFFR-LSZH Sheath	No. of Cores	Cu Size (sq mm)	Screen Y/N	Nominal Overall Diameter (mm)
C2244	C2381	2	27/0.25	N	6.20
C2245	C2382	3	27/0.25	N	6.60
C2246	C2383	4	27/0.25	N	7.20
C2247	C2384	5	27/0.25	N	7.80
C2248	C2385	7	27/0.25	N	8.50
C2249	C2386	8	27/0.25	N	9.20
C2250	C2387	10	27/0.25	N	10.80
C2251	C2388	12	27/0.25	N	11.20
C2252	C2389	14	27/0.25	N	12.00
C2253	C2390	18	27/0.25	N	13.30
C2254	C2391	20	27/0.25	N	13.70
C2255	C2392	21	27/0.25	N	14.00
C2256	C2393	25	27/0.25	N	16.60
C2257	C2394	32	27/0.25	N	18.00
C2258	C2395	34	27/0.25	N	18.90
C2259	C2396	42	27/0.25	N	21.20
C2260	C2397	50	27/0.25	N	22.40
C2261	C2398	61	27/0.25	N	23.70
C2262	C2399	65	27/0.25	N	24.60

Control Cables

Typical Application:

Flexible Power Control /

Data Transfer & Industry Applications

YY type 2.5mm²

Item Code PVC Sheath	Item Code HFFR-LSZH Sheath	No. of Cores	Cu Size (sq mm)	Screen Y/N	Nominal Overall Diameter (mm)
C2263	C2400	2	45/0.25	N	7.60
C2264	C2401	3	45/0.25	N	8.10
C2265	C2402	4	45/0.25	N	8.80
C2266	C2403	5	45/0.25	N	9.70
C2267	C2404	7	45/0.25	N	10.60
C2268	C2405	10	45/0.25	N	13.80
C2269	C2406	12	45/0.25	N	14.30
C2270	C2407	15	45/0.25	N	16.50
C2271	C2408	18	45/0.25	N	17.40
C2272	C2409	20	45/0.25	N	17.90
C2273	C2410	21	45/0.25	N	18.30
C2274	C2411	25	45/0.25	N	21.30
C2275	C2412	34	45/0.25	N	24.2

YY type 4.0mm²

Item Code PVC Sheath	Item Code HFFR-LSZH Sheath	No. of Cores	Cu Size (sq mm)	Screen Y/N	Nominal Overall Diameter (mm)
C2276	C2413	2	53/0.30	N	9.00
C2277	C2414	3	53/0.30	N	9.60
C2278	C2415	4	53/0.30	N	10.50
C2279	C2416	5	53/0.30	N	11.80
C2280	C2417	7	53/0.30	N	12.90

YY type 6.0mm²

Item Code PVC Sheath	Item Code HFFR-LSZH Sheath	No. of Cores	Cu Size (sq mm)	Screen Y/N	Nominal Overall Diameter (mm)
C2281	C2418	2	80/0.30	N	10.60
C2282	C2419	3	80/0.30	N	11.50
C2283	C2420	4	80/0.30	N	12.60
C2284	C2421	5	80/0.30	N	13.90
C2285	C2422	7	80/0.30	N	15.20

YY type 10.0mm²

Item Code PVC Sheath	Item Code HFFR-LSZH Sheath	No. of Cores	Cu Size (sq mm)	Screen Y/N	Nominal Overall Diameter (mm)
C2286	C2423	2	81/0.39	N	13.20
C2287	C2424	3	81/0.39	N	14.10
C2288	C2425	4	81/0.39	N	15.70
C2289	C2426	5	81/0.39	N	17.50
C2290	C2427	7	81/0.39	N	19.60

YY type 16.0mm²

Item Code PVC Sheath	Item Code HFFR-LSZH Sheath	No. of Cores	Cu Size (sq mm)	Screen Y/N	Nominal Overall Diameter (mm)
C2286	C2423	2	81/0.39	N	13.20
C2287	C2424	3	81/0.39	N	14.10
C2288	C2425	4	81/0.39	N	15.70
C2289	C2426	5	81/0.39	N	17.50
C2290	C2427	7	81/0.39	N	19.60

YY type 25.0mm²

Item Code PVC Sheath	Item Code HFFR-LSZH Sheath	No. of Cores	Cu Size (sq mm)	Screen Y/N	Nominal Overall Diameter (mm)
C2295	C2432	2	197/0.39	N	20.20
C2296	C2433	3	197/0.39	N	21.50
C2297	C2434	4	197/0.39	N	24.00
C2298	C2435	5	197/0.39	N	27.00

YY type 35.0mm²

Item Code PVC Sheath	Item Code HFFR-LSZH Sheath	No. of Cores	Cu Size (sq mm)	Screen Y/N	Nominal Overall Diameter (mm)
C2299	C2436	3	278/0.39	N	24.30
C2300	C2437	4	278/0.39	N	27.10
C2301	C2438	5	278/0.39	N	30.10

YY type 50.0~120mm²

Item Code PVC Sheath	Item Code HFFR-LSZH Sheath	No. of Cores	Cu Size (sq mm)	Screen Y/N	Nominal Overall Diameter (mm)
C2302	C2439	3*50.0	399/0.39	N	29.20
C2303	C2440	4*50.0	399/0.39	N	32.70
C2304	C2441	5*50.0	399/0.39	N	37.10
C2305	C2442	4*70.0	334/0.50	N	37.6
C2306	C2443	5*70.0	334/0.50	N	42.00
C2307	C2444	4*95.0	440/0.50	N	43.80
C2308	C2445	5*95.0	440/0.50	N	48.90
C2309	C2446	4*120.0	563/0.50	N	51.20

Control Cables

Typical Application:

Flexible Power Control /

Data Transfer & Industry Applications

CY type 0.5mm²

Item Code PVC Sheath	Item Code HFFR-LSZH Sheath	No. of Cores	Cu Size (sq mm)	Screen Y/N	Braiding Y/N	Nominal Overall Diameter (mm)
C2465	C2560	2	15/0.20	N	Y	5.60
C2466	C2561	3	15/0.20	N	Y	5.90
C2467	C2562	4	15/0.20	N	Y	6.30
C2468	C2563	5	15/0.20	N	Y	6.80
C2469	C2564	7	15/0.20	N	Y	7.30
C2470	C2565	10	15/0.20	N	Y	9.10
C2471	C2566	12	15/0.20	N	Y	9.40
C2472	C2567	18	15/0.20	N	Y	10.80
C2473	C2568	20	15/0.20	N	Y	11.00
C2474	C2569	21	15/0.20	N	Y	11.30
C2475	C2570	25	15/0.20	N	Y	13.20
C2476	C2571	34	15/0.20	N	Y	15.10

CY type 0.75mm²

Item Code PVC Sheath	Item Code HFFR-LSZH Sheath	No. of Cores	Cu Size (sq mm)	Screen Y/N	Braiding Y/N	Nominal Overall Diameter (mm)
C2477	C2572	2*	23/0.20	N	Y	6.0
C2478	C2573	3	23/0.20	N	Y	6.3
C2479	C2574	4	23/0.20	N	Y	6.8
C2480	C2575	5	23/0.20	N	Y	7.3
C2481	C2576	7	23/0.20	N	Y	8.0
C2482	C2577	10	23/0.20	N	Y	10.0
C2483	C2578	12	23/0.20	N	Y	10.2
C2484	C2579	18	23/0.20	N	Y	12.0
C2485	C2580	20	23/0.20	N	Y	12.2
C2486	C2581	21	23/0.20	N	Y	12.6
C2487	C2582	25	23/0.20	N	Y	14.5
C2488	C2583	32	23/0.20	N	Y	15.6
C2489	C2584	34	23/0.20	N	Y	16.5
C2490	C2585	40	23/0.20	N	Y	18.9
C2491	C2586	50	23/0.20	N	Y	20.1
C2492	C2587	65*0.75	23/0.20	N	Y	21.7

CY type 1.00mm²

Item Code PVC Sheath	Item Code HFFR-LSZH Sheath	No. of Cores	Cu Size (sq mm)	Screen Y/N	Braiding Y/N	Nominal Overall Diameter (mm)
C2493	C2588	2	30/0.20	N	Y	6.4
C2494	C2589	3	30/0.20	N	Y	6.7
C2495	C2590	4	30/0.20	N	Y	7.3
C2496	C2591	5	30/0.20	N	Y	7.9
C2497	C2592	7	30/0.20	N	Y	8.5

CY type 1.00mm²

C2498	C2593	8	30/0.20	N	Y	9.2
C2499	C2594	10	30/0.20	N	Y	10.8
C2500	C2595	12	30/0.20	N	Y	11.3
C2501	C2596	18	30/0.20	N	Y	13.1
C2502	C2597	21	30/0.20	N	Y	14.0
C2503	C2598	25	30/0.20	N	Y	16.1
C2504	C2599	30	30/0.20	N	Y	16.6
C2505	C2600	32	30/0.20	N	Y	17.8
C2506	C2601	34	30/0.20	N	Y	18.4
C2507	C2602	50	30/0.20	N	Y	21.1

CY type 1.5mm²

Item Code PVC Sheath	Item Code HFFR-LSZH Sheath	No. of Cores	Cu Size (sq mm)	Screen Y/N	Braiding Y/N	Nominal Overall Diameter (mm)
C2508	C2603	2*1.5	27/0.25	N	Y	6.8
C2509	C2604	3*1.5	27/0.25	N	Y	7.2
C2510	C2605	4*1.5	27/0.25	N	Y	7.8
C2511	C2606	5*1.5	27/0.25	N	Y	8.4
C2512	C2607	7*1.5	27/0.25	N	Y	9.1
C2513	C2608	10*1.5	27/0.25	N	Y	11.7
C2514	C2609	12*1.5	27/0.25	N	Y	12.1
C2515	C2610	18*1.5	27/0.25	N	Y	14.3
C2516	C2611	20*1.5	27/0.25	N	Y	14.6
C2517	C2612	21*1.5	27/0.25	N	Y	15.0
C2518	C2613	25*1.5	27/0.25	N	Y	17.5
C2519	C2614	32*1.5	27/0.25	N	Y	18.9
C2520	C2615	34*1.5	27/0.25	N	Y	20.1
C2521	C2616	42*1.5	27/0.25	N	Y	22.7

CY type 2.0mm²

Item Code PVC Sheath	Item Code HFFR-LSZH Sheath	No. of Cores	Cu Size (sq mm)	Screen Y/N	Braiding Y/N	Nominal Overall Diameter (mm)
C2522	C2617	2	45/0.25	N	Y	8.2
C2523	C2618	3	45/0.25	N	Y	8.7
C2524	C2619	4	45/0.25	N	Y	9.5
C2525	C2620	5	45/0.25	N	Y	10.2
C2526	C2621	7	45/0.25	N	Y	11.5
C2527	C2622	10	45/0.25	N	Y	14.8
C2528	C2623	12	45/0.25	N	Y	15.7
C2529	C2624	18	45/0.25	N	Y	19.0
C2530	C2625	21	45/0.25	N	Y	20.0
C2531	C2626	25	45/0.25	N	Y	23.0
C2532	C2627	34	45/0.25	N	Y	25.4
C2533	C2628	50	45/0.25	N	Y	30.0

Control Cables

Typical Application:

Flexible Power Control /

Data Transfer & Industry Applications

CY type 4.0mm²

Item Code PVC Sheath	Item Code HFFR-LSZH Sheath	No. of Cores	Cu Size (sq mm)	Screen Y/N	Braiding Y/N	Nominal Overall Diameter (mm)
C2534	C2629	2	53/0.30	N	Y	8.20
C2535	C2630	3	53/0.30	N	Y	10.30
C2536	C2631	4	53/0.30	N	Y	11.2
C2537	C2632	5	53/0.30	N	Y	12.5
C2538	C2633	7	53/0.30	N	Y	13.8

CY type 6.0mm²

Item Code PVC Sheath	Item Code HFFR-LSZH Sheath	No. of Cores	Cu Size (sq mm)	Screen Y/N	Braiding Y/N	Nominal Overall Diameter (mm)
C2539	C2634	2	80/0.30	N	Y	10.30
C2540	C2635	3	80/0.30	N	Y	10.90
C2541	C2636	4	80/0.30	N	Y	12.20
C2542	C2637	5	80/0.30	N	Y	13.50
C2543	C2638	7	80/0.30	N	Y	14.90

CY type 10.0mm²

Item Code PVC Sheath	Item Code HFFR-LSZH Sheath	No. of Cores	Cu Size (sq mm)	Screen Y/N	Braiding Y/N	Nominal Overall Diameter (mm)
C2544	C2639	2	81/0.39	N	Y	12.90
C2545	C2640	3	81/0.39	N	Y	15.00
C2546	C2641	4	81/0.39	N	Y	15.80
C2547	C2642	5	81/0.39	N	Y	18.40
C2548	C2643	7	81/0.39	N	Y	20.40

CY type 16.0mm²

Item Code PVC Sheath	Item Code HFFR-LSZH Sheath	No. of Cores	Cu Size (sq mm)	Screen Y/N	Braiding Y/N	Nominal Overall Diameter (mm)
C2549	C2644	2	127/0.39	N	Y	16.70
C2550	C2645	3	127/0.39	N	Y	18.40
C2551	C2646	4	127/0.39	N	Y	20.40
C2552	C2647	5	127/0.39	N	Y	22.60
C2553	C2648	7	127/0.39	N	Y	24.60

CY type 25.0mm²

Item Code PVC Sheath	Item Code HFFR-LSZH Sheath	No. of Cores	Cu Size (sq mm)	Screen Y/N	Braiding Y/N	Nominal Overall Diameter (mm)
C2554		4*25.0	197/0.39	N	Y	25.00
C2555		5*25.0	197/0.39	N	Y	28.10

SY type 0.5mm²

Item Code PVC Sheath	No. of Cores	Cu Size (sq mm)	Screen Y/N	Armoured Y/N	Nominal Overall Diameter (mm)
C2100	2*0.5	15/0.20	N	Y	7.20
C2101	3*0.5	15/0.20	N	Y	7.50
C2102	4*0.5	15/0.20	N	Y	7.90
C2103	5*0.5	15/0.20	N	Y	8.40
C2104	7*0.5	15/0.20	N	Y	8.90
C2105	10*0.5	15/0.20	N	Y	10.80
C2106	12*0.5	15/0.20	N	Y	11.20
C2107	18*0.5	15/0.20	N	Y	12.90
C2108	21*0.5	15/0.20	N	Y	13.40
C2109	25*0.5	15/0.20	N	Y	15.10
C2110	34*0.5	15/0.20	N	Y	16.90

SY type 0.75mm²

Item Code PVC Sheath	No. of Cores	Cu Size (sq mm)	Screen Y/N	Armoured Y/N	Nominal Overall Diameter (mm)
C2111	2*0.75	23/0.20	N	Y	7.60
C2112	3*0.75	23/0.20	N	Y	7.90
C2113	4*0.75	23/0.20	N	Y	8.40
C2114	5*0.75	23/0.20	N	Y	8.90
C2115	7*0.75	23/0.20	N	Y	9.50
C2116	10*0.75	23/0.20	N	Y	11.60
C2117	12*0.75	23/0.20	N	Y	11.90
C2118	14*0.75	23/0.20	N	Y	12.80
C2119	18*0.75	23/0.20	N	Y	14.10
C2120	21*0.75	23/0.20	N	Y	14.70
C2121	25*0.75	23/0.20	N	Y	15.90

SY type 1.0mm²

Item Code PVC Sheath	No. of Cores	Cu Size (sq mm)	Screen Y/N	Armoured Y/N	Nominal Overall Diameter (mm)
C2123	2*1.0	30/0.20	N	Y	8.00
C2124	3*1.0	30/0.20	N	Y	8.30
C2125	4*1.0	30/0.20	N	Y	8.90
C2126	5*1.0	30/0.20	N	Y	9.50
C2127	7*1.0	30/0.20	N	Y	10.10
C2128	10*1.0	30/0.20	N	Y	12.40
C2129	12*1.0	30/0.20	N	Y	13.10
C2130	18*1.0	30/0.20	N	Y	15.10
C2131	20*1.0	30/0.20	N	Y	15.40
C2132	21*1.0	30/0.20	N	Y	15.90
C2133	25*1.0	30/0.20	N	Y	18.10

Control Cables

Typical Application:

Flexible Power Control /

Data Transfer & Industry Applications

SY type 2.0 mm²

Item Code PVC Sheath	No. of Cores	Cu Size (sq mm)	Screen Y/N	Armoured Y/N	Nominal Overall Diameter (mm)
C2150	2*2.5	45/0.25	N	Y	9.80
C2151	3*2.5	45/0.25	N	Y	10.30
C2152	4*2.5	45/0.25	N	Y	11.00
C2153	5*2.5	45/0.25	N	Y	12.10
C2154	7*2.5	45/0.25	N	Y	13.40
C2155	10*2.5	45/0.25	N	Y	17.00
C2156	12*2.5	45/0.25	N	Y	17.70
C2157	18*2.5	45/0.25	N	Y	20.80
C2158	21*2.5	45/0.25	N	Y	22.10
C2159	25*2.5	45/0.25	N	Y	25.10
C2160	34*2.5	45/0.25	N	Y	28.00

SY type 4.0 mm²

Item Code PVC Sheath	No. of Cores	Cu Size (sq mm)	Screen Y/N	Armoured Y/N	Nominal Overall Diameter (mm)
C2161	2*4.0	53/0.30	N	Y	11.40
C2162	3*4.0	53/0.30	N	Y	12.00
C2163	4*4.0	53/0.30	N	Y	13.50
C2164	5*4.0	53/0.30	N	Y	14.60
C2165	7*4.0	53/0.30	N	Y	16.10

SY type 6.0 mm²

Item Code PVC Sheath	No. of Cores	Cu Size (sq mm)	Screen Y/N	Armoured Y/N	Nominal Overall Diameter (mm)
C2166	2*6.0	80/0.30	N	Y	12.00
C2167	3*6.0	80/0.30	N	Y	12.80
C2168	4*6.0	80/0.30	N	Y	14.30
C2169	5*6.0	80/0.30	N	Y	15.60
C2170	7*6.0	80/0.30	N	Y	17.00

SY type 10.0 mm²

Item Code PVC Sheath	No. of Cores	Cu Size (sq mm)	Screen Y/N	Armoured Y/N	Nominal Overall Diameter (mm)
C2171	2*10.0	81/0.39	N	Y	16.20
C2172	3*10.0	81/0.39	N	Y	17.10
C2173	4*10.0	81/0.39	N	Y	18.90
C2174	5*10.0	81/0.39	N	Y	20.90
C2175	7*10.0	81/0.39	N	Y	23.00

SY type 16.0 mm²

Item Code PVC Sheath	No. of Cores	Cu Size (sq mm)	Screen Y/N	Armoured Y/N	Nominal Overall Diameter (mm)
C2176	2*16.0	127/0.39	N	Y	19.40
C2177	3*16.0	127/0.39	N	Y	20.50
C2178	4*16.0	127/0.39	N	Y	22.60
C2179	5*16.0	127/0.39	N	Y	24.80
C2180	7*16.0	127/0.39	N	Y	27.40

SY type 25.0 mm²


Item Code PVC Sheath	No. of Cores	Cu Size (sq mm)	Screen Y/N	Armoured Y/N	Nominal Overall Diameter (mm)
C2181	3*25.0	197/0.39	N	Y	25.30
C2182	4*25.0	197/0.39	N	Y	28.00
C2183	5*25.0	197/0.39	N	Y	31.20

SY type 35.0 mm²

Item Code PVC Sheath	No. of Cores	Cu Size (sq mm)	Screen Y/N	Armoured Y/N	Nominal Overall Diameter (mm)
C2184	3*35.0	278/0.39	N	Y	28.60
C2185	4*35.0	278/0.39	N	Y	31.50
C2186	5*35.0	278/0.39	N	Y	34.50

SY type 50.0~ 120.0 mm²

Item Code PVC Sheath	No. of Cores	Cu Size (sq mm)	Screen Y/N	Armoured Y/N	Nominal Overall Diameter (mm)
C2187	4*50.0	399/0.39	N	Y	36.70
C2188	4*70.0	334/0.50	N	Y	40.50
C2189	4*95.0	440/0.50	N	Y	45.50
C2190	4*120.0	563/0.50	N	Y	51.10
C2137	2*1.5	27/0.25	N	Y	8.40
C2138	3*1.5	27/0.25	N	Y	8.80
C2139	4*1.5	27/0.25	N	Y	9.40
C2140	5*1.5	27/0.25	N	Y	10.40
C2141	7*1.5	27/0.25	N	Y	10.70
C2142	10*1.5	27/0.25	N	Y	13.60
C2143	12*1.5	27/0.25	N	Y	14.00
C2144	18*1.5	27/0.25	N	Y	16.30
C2145	21*1.5	27/0.25	N	Y	17.40
C2147	32*1.5	27/0.25	N	Y	21.60
C2148	34*1.5	27/0.25	N	Y	22.30
C2149	50*1.5	27/0.25	N	Y	26.20



Media & Lighting Control Cables

Typical Applications:

Lighting & Shade Control Applications

Media & Lighting Control Cables

Typical Applications:

Lighting & Shade Control Applications

300V RMS / -20°C to +75°C

Item Code PVC Sheath	Item Code HFFR- LSZH Sheath	No. of Cores	Cu Gauge (AWG)	IFoil Shield Y/N	Drain Wire Y/N	Nominal Overall Diameter (mm)
C1678	C1680	2	18	Y	Y	5.4
C1679	C1681	4	18	Y	Y	6.1
C1670	C1671	2	22	Y	Y	4.7
C1676	C1677	2+2	18+22	Y	Y	5.3
C1674	C1675	2+2+1	12+22+18	Y	Y	8.25
C1672	C1673	4+1+2	18+18+16	Y	Y	8.64
C1242	-	2+2	18+22	Y	Y	6.35



Telephone Cables

Typical Applications:

Telephone & Voice Applications

Telephone Cables

Typical Applications:
Telephone & Voice Applications

300V RMS / -20°C to +75°C
CW1308

Item Code PVC Sheath	Item Code HFFR- LSZH Sheath	No. of Pairs	Cu Size (mm)	Foil Shield Y/N	Drain Wire Y/N	Nominal Overall Diameter (mm)
C1575	C1088	2	0.4	N	N	3.9
C1576	C1089	3	0.4	N	N	5.3
C1577	C1090	4	0.4	N	N	5.8
C1578	C1091	6	0.4	N	N	6.8
C1579	C1092	10	0.4	N	N	8.3
C1580	C1093	20	0.4	N	N	10.4
C1571	C1094	2	0.5	N	N	4.3
C1572	C1095	3	0.5	N	N	5.0
C1573	C1096	4	0.5	N	N	5.8
C1574	C1097	6	0.5	N	N	6.8
C1070	C1098	10	0.5	N	N	8.3
C1071	C1099	20	0.5	N	N	10.7
C1081	C1100	25	0.5	N	N	11.4
C1072	C1101	50	0.5	N	N	17.0
C1082	C1102	50+E	0.5	N	N	18.0
C1073	C1103	100	0.5	N	N	27.0
C1083	C1104	100+E	0.5	N	N	28.0
C1084	C1105	150	0.5	N	N	30.5
C1085	C1106	150+E	0.5	N	N	30.5
C1086	C1107	200	0.5	N	N	33.0
C1087	C1108	200+E	0.5	N	N	33.0

Telephone Cables

Typical Applications:
Telephone & Voice Applications

CW 1128/1179 Jelly Filled Outdoor Telephone Cable

Item Code PE Sheath	No. of Pairs	Cu Size (mm)	Foil Shield Y/N	Drain Wire Y/N	Nominal Overall Diameter (mm)
C2600	5	0.4	Y	N	9.0
C2601	10	0.4	Y	N	10.0
C2602	20	0.4	Y	N	11.5
C2603	25	0.4	Y	N	12.7
C2604	30	0.4	Y	N	13.3
C2605	50	0.4	Y	N	15.5
C2606	100	0.4	Y	N	20.0
C2607	150	0.4	Y	N	23.8
C2608	200	0.4	Y	N	26.7
C2609	5	0.5	Y	N	9.5
C2610	10	0.5	Y	N	11.0
C2611	20	0.5	Y	N	13.5
C2612	25	0.5	Y	N	14.7
C2613	30	0.5	Y	N	15.3
C2614	50	0.5	Y	N	18.0
C2615	100	0.5	Y	N	23.5
C2616	150	0.5	Y	N	27.8
C2617	200	0.5	Y	N	31.3
C2618	5	0.63	Y	N	11.0
C2619	10	0.63	Y	N	13.0
C2620	20	0.63	Y	N	15.5
C2621	25	0.63	Y	N	18.1
C2622	30	0.63	Y	N	18.5
C2623	50	0.63	Y	N	22.0
C2624	100	0.63	Y	N	29.0
C2625	150	0.63	Y	N	34.2
C2626	200	0.63	Y	N	39.0



International

**YOUR CONNECTIONS
OUR SOLUTIONS**



International

WEBSITE

www.b3cable.com

ITALY

Via Monti 42
CAP 20016, Milan
Italy
Tel: +39 02 8732 3325
Fax: +39 02 8732 3101
Email: info.it@b3cable.com

UNITED ARAB EMIRATES

Dubai Airport Free Zone,
4WB-842,
Dubai, UAE
Tel: +971 4 2314 810
Fax: +971 4 2314 814
Email: info.me@b3cable.com